



Accessibility for Ontarians with Disabilities Act



AODA Compliance Rules

Beginning January 1, 2021: all public websites and web content posted after January 1, 2012 must meet WCAG 2.0 Level AA other than criteria 1.2.4 (live captions) and 1.2.5 (pre-recorded audio descriptions).

By law, you must make new and significantly refreshed public websites accessible if you are launching a significantly refreshed website. This means that you are keeping the same web address, but you are making changes such as:

- A new look and feel to the website
- How users navigate around it
- A major update and change to the content of the website

Content (Content means any information that may be found on a web page or web application, including text, images, forms and sounds.)

Who



By law, you must make new and significantly refreshed public websites accessible if you are:

- A private or non-profit organization with 50+ employees
- A public sector organization

AODA Assessment



The following Principles are to be audited:

- Perceivable
- Operable
- Robust
- Understandable

Examples of remedies Trilogen has used to meet compliance:

- Increased font size;
- Adding Alternative Text;
- Adding Captions;
- Adding Descriptions and Meta Data;
- Adding Distinguishables such as Colours, Contrasts, Spacing;
- Adding Keyboard Accessibility;
- Optimizing Navigation including Search, Headers, Sub Menus;
- Migrate all content to a new AODA compliant platform.

Contact Information

Address: 4726 Montrose Road. Niagara Falls, Ontario L2H 1K3

Phone: (905) 378-1120

Email: info@trilogen.ca

www.trilogen.ca